





AV01001GN

PHOTOMETRIC FILES



NARROW 350 mA





NARROW 700 mA




MEDIUM 350 mA



MEDIUM 700 mA




WIDE 350 mA



Distanza [m]	Diametro cono [m]	Iluminamento [lx]
0.5	0.34	E(0°) 697 E(C0) 18.7° 298
1.0	0.68	E(0°) 174 E(C0) 18.7° 74
1.5	1.02	E(0°) 77 E(C0) 18.7° 33
2.0	1.35	E(0°) 44 E(C0) 18.7° 19
2.5	1.69	E(0°) 28 E(C0) 18.7° 12
3.0	2.03	E(0°) 19 E(C0) 18.7° 8

— C0 - C180 (Angolo di dimezzamento: 37.4°)


WIDE 700 mA



Distanza [m]	Diametro cono [m]	Iluminamento [lx]
0.5	0.34	E(0°) 1104 E(C0) 18.8° 471
1.0	0.68	E(0°) 276 E(C0) 18.8° 118
1.5	1.02	E(0°) 123 E(C0) 18.8° 52
2.0	1.36	E(0°) 69 E(C0) 18.8° 29
2.5	1.70	E(0°) 44 E(C0) 18.8° 19
3.0	2.04	E(0°) 31 E(C0) 18.8° 13

— C0 - C180 (Angolo di dimezzamento: 37.6°)


VERY WIDE 350 mA



Distanza [m]	Diametro cono [m]	Iluminamento [lx]
0.5	1.35	E(0°) 135 E(C0) 53.4° 14
1.0	2.69	E(0°) 34 E(C0) 53.4° 4
1.5	4.04	E(0°) 15 E(C0) 53.4° 2
2.0	5.39	E(0°) 8 E(C0) 53.4° 1
2.5	6.73	E(0°) 5 E(C0) 53.4° 1
3.0	8.08	E(0°) 4 E(C0) 53.4° 0

— C0 - C180 (Angolo di dimezzamento: 106.8°)

VERY WIDE 700 mA



Distanza [m]	Diametro cono [m]	Iluminamento [lx]
0.5	1.32	E(0°) 196 E(C0) 52.9° 22
1.0	2.64	E(0°) 49 E(C0) 52.9° 5
1.5	3.97	E(0°) 22 E(C0) 52.9° 2
2.0	5.29	E(0°) 12 E(C0) 52.9° 1
2.5	6.61	E(0°) 8 E(C0) 52.9° 1
3.0	7.93	E(0°) 5 E(C0) 52.9° 1

— C0 - C180 (Angolo di dimezzamento: 105.8°)