


# AV02164GN

## PHOTOMETRIC FILES


NARROW 350 mA



Distanza [m]	Diametro cono [m]	illuminamento [lx]
0.5	0.08	E(0°) 7534 E(C0) 4.8° 3802
1.0	0.17	E(0°) 1883 E(C0) 4.8° 551
1.5	0.25	E(0°) 837 E(C0) 4.8° 422
2.0	0.34	E(0°) 471 E(C0) 4.8° 238
2.5	0.42	E(0°) 301 E(C0) 4.8° 152
3.0	0.50	E(0°) 209 E(C0) 4.8° 106

— C0 - C180 (Angolo di dimezzamento: 9.6°)


NARROW 700 mA



Distanza [m]	Diametro cono [m]	illuminamento [lx]
0.5	0.09	E(0°) 11796 E(C0) 5.1° 5925
1.0	0.18	E(0°) 2949 E(C0) 5.1° 1461
1.5	0.27	E(0°) 1311 E(C0) 5.1° 658
2.0	0.36	E(0°) 737 E(C0) 5.1° 370
2.5	0.45	E(0°) 472 E(C0) 5.1° 237
3.0	0.54	E(0°) 328 E(C0) 5.1° 165

— C0 - C180 (Angolo di dimezzamento: 10.2°)


MEDIUM 350 mA



Distanza [m]	Diametro cono [m]	illuminamento [lx]
0.5	0.21	E(0°) 1587 E(C0) 11.6° 749
1.0	0.41	E(0°) 397 E(C0) 11.6° 187
1.5	0.62	E(0°) 176 E(C0) 11.6° 83
2.0	0.82	E(0°) 99 E(C0) 11.6° 47
2.5	1.03	E(0°) 63 E(C0) 11.6° 30
3.0	1.23	E(0°) 44 E(C0) 11.6° 21

— C0 - C180 (Angolo di dimezzamento: 23.2°)



MEDIUM 700 mA





Distanza [m]	Diametro cono [m]	illuminamento [lx]
0.5	0.20	E(0°) 2454 E(C0) 11.2° 1174
1.0	0.40	E(0°) 613 E(C0) 11.2° 293
1.5	0.59	E(0°) 273 E(C0) 11.2° 130
2.0	0.79	E(0°) 153 E(C0) 11.2° 73
2.5	0.99	E(0°) 98 E(C0) 11.2° 47
3.0	1.19	E(0°) 68 E(C0) 11.2° 33

— C0 - C180 (Angolo di dimezzamento: 22.4°)



WIDE 350 mA



WIDE 700 mA



VERY WIDE 350 mA



VERY WIDE 700 mA

