



STRIP LED 2835 12W/MT 230V

20 metri / 50 metri



CODICE	PARAMETRI BASE				PARAMETRI FOTOMETRICI					
	Misure	Unità di taglio	Input Volt	Watt nominali	CRI	Colore Luce	Lumen nominali	Classe Energetica	IP	
AV5884CIAA	20000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	6000K	1440LM/m	A+	IP65	
AV5885NIAA	20000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	4000K	1440LM/m	A+	IP65	
AV5886WIAA	20000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	3000K	1440LM/m	A+	IP65	
AV5887CIAA	50000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	6000K	1440LM/m	A+	IP65	
AV5888NIAA	50000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	4000K	1440LM/m	A+	IP65	
AV5889WIAA	50000x16,5x7mm	16LED/200mm	230V	12W/m	≥80	3000K	1440LM/m	A+	IP65	

Front View



Lateral View



ACCESSORI

Kit cavo di alimentazione L. 50cm + Connettore rapido



Cod. AV5890XIAA

Kit 10pz clip in plastica trasparenti

Cod. AV5891XIAA





FOTOMETRIE





12W/ M[3.66W/ft.], CRI80, 4000K




FLESSIONE



TORSIONE



MONTAGGIO



AVVERTENZE

