

PHILIPS

AV6046CSAA

AV6046NSAA

AV6046WSAA



LAMPADA LED GU10 5W

550lm GU10 830 120D

Are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots.


Product data

General Information		Starting Time (Nom)	
Cap-Base	GU10 [GU10]		0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Nom)	0.5 s
Switching Cycle	50000X	Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	120 °		
Luminous Flux (Nom)	550 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	550 lm	Dimmable	No
Color Designation	White (WH)		
Rated Beam Angle	120 °	Approval and Application	
Correlated Color Temperature (Nom)	3000 K	Suitable For Accent Lighting	No
Luminous Efficacy (Rated) (Nom)	84.78 lm/W	Energy Efficiency Label (EEL)	A+
Color Consistency	<6	Energy Consumption kWh/1000 h	5 kWh
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical			
Input Frequency	50 to 60 Hz		
Power (Rated) (Nom)	5 W		
Lamp Current (Nom)	41 mA		

Net Weight (Piece)

0.038 kg

Dimensional drawing



Product




D

C

AV6046CSAA 550lm GU10 830 120D
AV6046NSAA 550lm GU10 830 120D
AV6046WSAA 550lm GU10 830 120D

50 mm 55 mm

Photometric data



AV6046CSAA
AV6046NSAA
AV6046WSAA

Lifetime

